



Daffodil International University
Faculty of Science & Information Technology
Department of Software Engineering
Final Examination, Summer 2026

Course Code: DS 411 ; Course Title: Statistical Data Analysis
Sections & Teachers: A, B, C (FH), D(DB), E, F, G(FAJ)

Marks: 40

Time: 2:00 Hrs

Answer ALL Questions

[The figures in the right margin indicate the full marks and corresponding course outcomes. All portions of each question must be answered sequentially.]

1.	Daffodil International University (DIU) is organizing its annual DIU Cultural Fest. The cultural committee is responsible for selecting student leaders, forming performance teams, and preparing refreshment packs for participants. As a member of the organizing committee, you are assigned to apply the principles of counting techniques to solve the following tasks.			CLO-1 Level-3
	a)	The organizing committee consists of 13 members. Determine the number of ways to select a President and a Secretary from the committee members.	2	
	b)	The committee is forming a drama team of five performers from 8 senior students and 6 junior students. The team must include 3 seniors and 2 juniors. Calculate the number of possible ways to form the team.	4	
	c)	During the DIU Cultural Fest, each winning participant receives a gift box containing 6 chocolates. The organizers can choose the chocolates from 4 different flavors, and multiple chocolates of the same flavor may be included. Determine the number of different ways to prepare a gift box containing 6 chocolates.	4	
2.	a)	A courier company reports that the average parcel delivery time within a city is 45 minutes, with a population standard deviation of 12 minutes. A random sample of 64 deliveries is selected from the company's records. Illustrate the probability that the sample mean delivery time is at least 47 minutes.	5	CLO-2 Level-4
	b)	Company X shipped 5 computer chips, 1 of which was defective and company Y shipped 4 computer chips, 2 of which were defective. One computer chip is to be chosen uniformly at a random from the 9 chips shipped by the companies. If the chosen chip is found to be defective, examine is the probability that the chip came from the company Y?	5	
3.	A city transport authority conducted a survey to estimate the proportion of commuters in a metropolitan area who use the metro rail regularly. A random sample of 900 commuters was selected, and 522 reported using the metro rail regularly. Based on this data, the authority initially reported a 90% confidence interval of [0.55, 0.61] for the population proportion.			CLO-3 Level-5
	a)	Evaluate and interpret the reported point estimate and the 90% confidence-interval for the population proportion. Assess whether the statistical evidence is sufficient to justify the conclusion that more than 50% of commuters use the metro rail regularly.	5	

b)	Determine the 95% and 99% confidence intervals for the true population proportion using the given sample data ($n = 900$, $x = 522$). Compare and evaluate the three confidence intervals (90%, 95%, and 99%) in terms of their precision and reliability. Justify which confidence level you would recommend to the city transport authority for making future transportation policy decisions, and support your recommendation with statistical evidence.	5	
4.	A recent peer-reviewed research article (2025) on educational technology reported that university students spend an average of 6.5 hours per week on self-study and suggested that interactive learning environments can improve student engagement. After analyzing the findings of this study, a university's e-learning cell introduced a new interactive learning module to enhance students' independent learning. To evaluate the effectiveness of the module, a random sample of 30 students who used the new module was selected. The sample showed an average weekly self-study time of 7.2 hours with a sample standard deviation of 1.6 hours.		
a)	Analyze how findings from the published research literature are used to formulate the null hypothesis (H_0) and the alternative hypothesis (H_1) and explain the significance level (α) and discuss how it influences statistical decision-making.	5	CLO-4 Level-4
b)	Using a one-sample right-tailed t-test at the 5% significance level, examine whether the new interactive learning module significantly increases the mean weekly self-study time above the value (6.5 hours) reported in the research literature.	5	

Z-score Table:

z	0	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
-0	.50000	.49601	.49202	.48803	.48405	.48006	.47608	.47210	.46812	.46414
-0.1	.46017	.45620	.45224	.44828	.44433	.44034	.43640	.43251	.42858	.42465
-0.2	.42074	.41683	.41294	.40905	.40517	.40129	.39743	.39358	.38974	.38591
-0.3	.38209	.37828	.37448	.37070	.36693	.36317	.35942	.35569	.35197	.34827
-0.4	.34458	.34090	.33724	.33360	.32997	.32636	.32276	.31918	.31561	.31207
-0.5	.30854	.30503	.30153	.29806	.29460	.29116	.28774	.28434	.28096	.27760
-0.6	.27425	.27093	.26763	.26435	.26109	.25785	.25463	.25143	.24825	.24510
-0.7	.24196	.23885	.23576	.23270	.22965	.22663	.22363	.22065	.21770	.21476
-0.8	.21186	.20897	.20611	.20327	.20045	.19766	.19489	.19215	.18943	.18673
-0.9	.18406	.18141	.17879	.17619	.17361	.17106	.16853	.16602	.16354	.16109
-1	.15866	.15625	.15386	.15151	.14917	.14686	.14457	.14231	.14007	.13786
-1.1	.13567	.13350	.13136	.12924	.12714	.12507	.12302	.12100	.11900	.11702
-1.2	.11507	.11314	.11123	.10935	.10749	.10565	.10383	.10204	.10027	.09853
-1.3	.09680	.09510	.09342	.09176	.09012	.08851	.08692	.08534	.08379	.08226
-1.4	.08076	.07927	.07780	.07636	.07493	.07353	.07215	.07078	.06944	.06811
-1.5	.06681	.06552	.06426	.06301	.06178	.06057	.05938	.05821	.05705	.05592
-1.6	.05480	.05370	.05262	.05155	.05050	.04947	.04846	.04746	.04648	.04551
-1.7	.04457	.04363	.04272	.04182	.04093	.04006	.03920	.03836	.03754	.03673
-1.8	.03593	.03515	.03438	.03362	.03288	.03216	.03144	.03074	.03005	.02938
-1.9	.02872	.02807	.02743	.02680	.02619	.02559	.02500	.02442	.02385	.02330
-2	.02275	.02222	.02169	.02118	.02068	.02018	.01970	.01923	.01876	.01831

T-test Table:

cum. prob	$t_{.50}$	$t_{.75}$	$t_{.90}$	$t_{.95}$	$t_{.98}$	$t_{.99}$	$t_{.995}$	$t_{.998}$	$t_{.999}$	$t_{.9995}$	$t_{.9999}$
one-tail	0.50	0.25	0.20	0.15	0.10	0.05	0.025	0.01	0.005	0.001	0.0005
two-tails	1.00	0.50	0.40	0.30	0.20	0.10	0.05	0.02	0.01	0.002	0.001
df											
1	0.000	1.000	1.378	1.963	3.078	6.314	12.71	31.82	63.66	318.31	636.62
2	0.000	0.816	1.061	1.386	1.886	2.920	4.303	6.965	9.925	22.327	31.599
3	0.000	0.765	0.978	1.250	1.638	2.353	3.182	4.541	5.841	10.215	12.924
4	0.000	0.741	0.941	1.190	1.533	2.132	2.776	3.747	4.804	7.173	8.610
5	0.000	0.727	0.920	1.158	1.478	2.015	2.571	3.365	4.032	5.893	6.859
6	0.000	0.718	0.906	1.134	1.440	1.943	2.447	3.143	3.707	5.208	5.959
7	0.000	0.711	0.896	1.119	1.415	1.895	2.365	2.998	3.499	4.785	5.408
8	0.000	0.706	0.889	1.108	1.397	1.860	2.306	2.896	3.355	4.501	5.041
9	0.000	0.703	0.883	1.100	1.383	1.833	2.282	2.821	3.250	4.297	4.781
10	0.000	0.700	0.879	1.093	1.372	1.812	2.228	2.764	3.169	4.144	4.587
11	0.000	0.697	0.876	1.088	1.363	1.796	2.201	2.718	3.106	4.025	4.437
12	0.000	0.695	0.873	1.083	1.356	1.782	2.179	2.681	3.055	3.930	4.318
13	0.000	0.694	0.870	1.079	1.350	1.771	2.160	2.650	3.012	3.852	4.221
14	0.000	0.692	0.868	1.076	1.345	1.761	2.145	2.624	2.977	3.787	4.140
15	0.000	0.691	0.866	1.074	1.341	1.753	2.131	2.602	2.947	3.733	4.073
16	0.000	0.690	0.865	1.071	1.337	1.746	2.120	2.583	2.921	3.686	4.015
17	0.000	0.689	0.863	1.069	1.333	1.740	2.110	2.567	2.898	3.646	3.965
18	0.000	0.688	0.862	1.067	1.330	1.734	2.101	2.552	2.878	3.610	3.922
19	0.000	0.688	0.861	1.066	1.328	1.729	2.093	2.539	2.861	3.579	3.883
20	0.000	0.687	0.860	1.064	1.325	1.725	2.086	2.526	2.845	3.552	3.850
21	0.000	0.686	0.859	1.063	1.323	1.721	2.080	2.518	2.831	3.527	3.819
22	0.000	0.686	0.858	1.061	1.321	1.717	2.074	2.508	2.819	3.505	3.792
23	0.000	0.685	0.858	1.060	1.319	1.714	2.069	2.500	2.807	3.485	3.768
24	0.000	0.685	0.857	1.059	1.318	1.711	2.064	2.492	2.797	3.467	3.745
25	0.000	0.684	0.856	1.058	1.316	1.708	2.060	2.485	2.787	3.450	3.725
26	0.000	0.684	0.856	1.058	1.315	1.708	2.056	2.479	2.779	3.435	3.707
27	0.000	0.684	0.855	1.057	1.314	1.703	2.052	2.473	2.771	3.421	3.690
28	0.000	0.683	0.855	1.056	1.313	1.701	2.048	2.467	2.763	3.408	3.674
29	0.000	0.683	0.854	1.055	1.311	1.699	2.045	2.462	2.758	3.396	3.659
30	0.000	0.683	0.854	1.055	1.310	1.697	2.042	2.457	2.750	3.385	3.646
40	0.000	0.681	0.851	1.050	1.303	1.684	2.021	2.423	2.704	3.307	3.551
60	0.000	0.679	0.848	1.045	1.296	1.671	2.000	2.390	2.660	3.232	3.460
80	0.000	0.678	0.846	1.043	1.292	1.664	1.990	2.374	2.639	3.195	3.416
100	0.000	0.677	0.845	1.042	1.290	1.660	1.984	2.364	2.626	3.174	3.390
1000	0.000	0.675	0.842	1.037	1.282	1.646	1.962	2.330	2.581	3.098	3.300
Z	0.000	0.674	0.842	1.036	1.282	1.645	1.960	2.326	2.576	3.090	3.291
	0%	50%	60%	70%	80%	90%	95%	98%	99%	99.8%	99.9%
	Confidence Level										