



Daffodil International University
Faculty of Science & Information Technology

Department of Software Engineering

Final-Term Examination – Spring 2026

Course Code: SE 121; Course Title: Structured Programming

Sections & Teachers: All; MTK, MSS, JIC, MR, AHZ, SCS, PS

Time: 2 Hours

Marks: 40

Answer ALL Questions

[The figures in the right margin indicate the full marks and corresponding course outcomes. All portions of each question must be answered sequentially.]

1.	a)	Detect any errors in the following codes and modify them with the necessary changes.	[Marks-6]	CLO-3 Level-3							
		<table><tr><td>i) #include <stdio.h> int main() { int a[5] = {1, 'c', 3.5, 4, 6}; for(int i = 0; i < 5; i++) { printf("%d\n", arr[i]);} a[6] = 10; int sum; for(int i = 0; i < 5; i++) { sum = sum + a[i];}return 0;}</td><td>ii) #include <stdio.h> #include <string.h> int main() { char s1[6] = "Hello", s2[10]; s2 = s1; int len = strlen(s1); printf("%s\n", s1+ 10); printf("%d\n", len); return 0;}</td></tr></table>	i) #include <stdio.h> int main() { int a[5] = {1, 'c', 3.5, 4, 6}; for(int i = 0; i < 5; i++) { printf("%d\n", arr[i]);} a[6] = 10; int sum; for(int i = 0; i < 5; i++) { sum = sum + a[i];}return 0;}		ii) #include <stdio.h> #include <string.h> int main() { char s1[6] = "Hello", s2[10]; s2 = s1; int len = strlen(s1); printf("%s\n", s1+ 10); printf("%d\n", len); return 0;}						
i) #include <stdio.h> int main() { int a[5] = {1, 'c', 3.5, 4, 6}; for(int i = 0; i < 5; i++) { printf("%d\n", arr[i]);} a[6] = 10; int sum; for(int i = 0; i < 5; i++) { sum = sum + a[i];}return 0;}	ii) #include <stdio.h> #include <string.h> int main() { char s1[6] = "Hello", s2[10]; s2 = s1; int len = strlen(s1); printf("%s\n", s1+ 10); printf("%d\n", len); return 0;}										
	b)	Suppose you are working as an assistant in a library's digital records section. Your task is to analyze the book borrowing data for a period of 3 days. Construct a C program that uses an array to store the number of books borrowed each day. The program should determine and display the <i>maximum</i> and <i>minimum</i> number of books borrowed during these 3 days.	[Marks-7]								
		<table><tr><th>Sample Input</th><th>Sample Output</th></tr><tr><td>Books borrowed on Day 1: 12</td><td>Maximum books borrowed: 15</td></tr><tr><td>Books borrowed on Day 2: 8</td><td>Minimum books borrowed: 8</td></tr><tr><td>Books borrowed on Day 3: 15</td><td></td></tr></table>	Sample Input		Sample Output	Books borrowed on Day 1: 12	Maximum books borrowed: 15	Books borrowed on Day 2: 8	Minimum books borrowed: 8	Books borrowed on Day 3: 15	
Sample Input	Sample Output										
Books borrowed on Day 1: 12	Maximum books borrowed: 15										
Books borrowed on Day 2: 8	Minimum books borrowed: 8										
Books borrowed on Day 3: 15											
	c)	You are asked to construct a C program that takes two strings as input. The program should identify the larger string based on lexicographical (dictionary) order, and then concatenate the two strings. After concatenation, the program should calculate the length of the updated string. The output should display the larger string first, followed by the concatenated string and its length, separated by a space.	[Marks-7]								
		<table><tr><th>Sample Input</th><th>Sample Output</th></tr><tr><td>diu swe</td><td>swe diuswe 6</td></tr><tr><td>Amar Matha</td><td>Matha AmarMatha 9</td></tr></table>	Sample Input	Sample Output	diu swe	swe diuswe 6	Amar Matha	Matha AmarMatha 9			
Sample Input	Sample Output										
diu swe	swe diuswe 6										
Amar Matha	Matha AmarMatha 9										

2	a) Identify the output of the following C codes and Explain the reasoning behind your answer. <table><tr><td><pre>i) #include <stdio.h> int fun(int arr[], int n) { int i, result = 1; for (i = 0; i < n; i++) { if (arr[i] % 2 == 0) result += arr[i]; else result -= arr[i]; } return result; } int main() { int data[] = {3, 2, 5, 4}; printf("%d\n", fun(data, 4)); return 0; }</pre></td><td><pre>ii) #include <stdio.h> int count(char str[]) { int i = 0, count = 0; while (str[i] != '\0') { if (str[i] == 'a' str[i] == 'e' str[i] == 'i' str[i] == 'o' str[i] == 'u') count++; i++; } return count; } int main() { char text[] = "Execution"; printf("%d\n", count(text)); return 0; }</pre></td></tr></table>	<pre>i) #include <stdio.h> int fun(int arr[], int n) { int i, result = 1; for (i = 0; i < n; i++) { if (arr[i] % 2 == 0) result += arr[i]; else result -= arr[i]; } return result; } int main() { int data[] = {3, 2, 5, 4}; printf("%d\n", fun(data, 4)); return 0; }</pre>	<pre>ii) #include <stdio.h> int count(char str[]) { int i = 0, count = 0; while (str[i] != '\0') { if (str[i] == 'a' str[i] == 'e' str[i] == 'i' str[i] == 'o' str[i] == 'u') count++; i++; } return count; } int main() { char text[] = "Execution"; printf("%d\n", count(text)); return 0; }</pre>	[Marks-6]	CLO-4 Level-4		
<pre>i) #include <stdio.h> int fun(int arr[], int n) { int i, result = 1; for (i = 0; i < n; i++) { if (arr[i] % 2 == 0) result += arr[i]; else result -= arr[i]; } return result; } int main() { int data[] = {3, 2, 5, 4}; printf("%d\n", fun(data, 4)); return 0; }</pre>	<pre>ii) #include <stdio.h> int count(char str[]) { int i = 0, count = 0; while (str[i] != '\0') { if (str[i] == 'a' str[i] == 'e' str[i] == 'i' str[i] == 'o' str[i] == 'u') count++; i++; } return count; } int main() { char text[] = "Execution"; printf("%d\n", count(text)); return 0; }</pre>						
2.	b) As a junior software developer at the Bangladesh Election Commission, you are tasked with developing a system to process voter eligibility for a batch of citizens during national elections. Each day, data of multiple individuals is collected, including: • An array storing the ages of citizens. • An array storing their citizenship status (1 = Citizen, 0 = Not a citizen). A person is eligible to vote if: Age ≥ 18 & Citizenship status = 1 Analyze the scenario and write a C program with the following function to count how many individuals are eligible to vote: <pre>int countEligibleVoters (int ages [], int citizenship [], int number);</pre> <table><tr><th>Sample Input</th><th>Sample Output</th></tr><tr><td>Enter number of people: 3 Enter age and citizenship (1/0): 20 1 Enter age and citizenship (1/0): 17 1 Enter age and citizenship (1/0): 25 0</td><td>Total Eligible Voters = 1</td></tr></table>	Sample Input	Sample Output	Enter number of people: 3 Enter age and citizenship (1/0): 20 1 Enter age and citizenship (1/0): 17 1 Enter age and citizenship (1/0): 25 0	Total Eligible Voters = 1	[Marks-7]	CLO-4 Level-3
Sample Input	Sample Output						
Enter number of people: 3 Enter age and citizenship (1/0): 20 1 Enter age and citizenship (1/0): 17 1 Enter age and citizenship (1/0): 25 0	Total Eligible Voters = 1						
	c) Suppose you are assisting a bank employee in comprehending how a basic banking system handles customer accounts. The bank wishes to display the most recent account information, permit simple activities like deposits and withdrawals, and maintain each customer's personal information, including name, account number, and current amount. Construct a C program using a structure named Account to store client data, handle deposits and withdrawals (making sure that withdrawals are only permitted when there is a sufficient balance), and show the final account balance along with additional information. <table><tr><th>Sample Input</th><th>Sample Output</th></tr><tr><td>Enter name: Rehan Khan Enter account number: 1001 Enter initial balance: 5000 Enter amount to deposit: 2000 Enter amount to withdraw: 1500</td><td>--- Account Details --- Name : Rehan Khan Acc No : 1001 Balance : 5500</td></tr></table>	Sample Input	Sample Output	Enter name: Rehan Khan Enter account number: 1001 Enter initial balance: 5000 Enter amount to deposit: 2000 Enter amount to withdraw: 1500	--- Account Details --- Name : Rehan Khan Acc No : 1001 Balance : 5500	[Marks-7]	CLO4 Level-3
Sample Input	Sample Output						
Enter name: Rehan Khan Enter account number: 1001 Enter initial balance: 5000 Enter amount to deposit: 2000 Enter amount to withdraw: 1500	--- Account Details --- Name : Rehan Khan Acc No : 1001 Balance : 5500						

-2
-1
-4
-3

8